

NAFTNet - Center Data

Below is the questionnaire about your Fetal Treatment Center's annual data. It is recommended to fill it out first, and to save it as a reference, before entering the data on-line.

On-line submission can only be done once per year, and only by one individual per center. By default, the center's lead representative will have access to the data entry pages. If you wish to transfer this access to someone else at your center, please send an e-mail to info@naftnet.org.

Diagnostic Imaging Procedures	
Complete Anatomic Surveys	
Fetal MRI	
Fetal echocardiography	
Diagnostic Procedures	
Genetic amniocentesis	
Chorionic villus sampling	
Fetal blood sampling	
Available Procedure:	
Vesicoamniotic Shunt	
Thoracoamniotic Shunt (i.e., for CCAM)	
Pleuroamniotic Shunt	
Peritoneoamniotic (abdominal) Shunt	
Diagnostic Fetoscopy	
Fetal Cystoscopy	
Fetal Vesicostomy	
Fetal endoscopic tracheal occlusion (FETO)	
Percutaneous fetal cardiac interventions	
Amniotic Band Resection	
Laser Photocoagulation	
Radiofrequency Ablation	
Bipolar Umbilical Cord Occlusion	
Umbilical Cord Ligation	
EXIT Procedure	

Hysterotomy (open fetal surgery) for:	
Meningomyelocele	
Congenital Cystic Adenomatoid Malformation	
Sacrococcygeal teratoma	
Other (specify)	
Anomalies and interventions	
Amniotic band	
# diagnosed	
# treated w/fetoscopic release	
Fetal neck mass	
# diagnosed	
# treated w/EXIT procedure	
Structural congenital heart disease (except isolated VSD or ASD)	
# diagnosed	
# treated with balloon dilation in utero	
# Other interventions (specify)	
Fetal cardiac arrhythmias	
Congenital heart block	
# diagnosed	
# treated with maternal dexamethasone	
Supraventricular tachycardia	
# diagnosed	
# treated with maternal medications	
Chest lesions	
CCAM	
# diagnosed	
# treated with shunt	
# treated with open fetal surgery	
# EXIT to resection delivery	
Bronchopulmonary sequestration	
# diagnosed	
Pleural effusions (isolated unilateral or bilateral)	
# diagnosed	
# treated with thoracocentesis	
# treated with shunt	

# treated with pleurodesis	
Diaphragmatic hernia	
# diagnosed	
# treated with open fetal surgery	
# treated by fetal tracheal occlusion	
# EXIT to ECMO delivery	
Abdominal wall defects	
Gastroschisis	
# diagnosed	
# treated with amniotic fluid exchange/Infusions	
Omphalocele	
Total # diagnosed (incl. small ones, with bowel only)	
# giant omphaloceles (containing majority of liver)	
Lower urinary tract obstruction	
# diagnosed	
# treated with shunt	
# treated with fetoscopic ablation of valves	
# treated with open vesicostomy	
Meningomyelocele	
# diagnosed	
# treated with open fetal surgery	
# vaginal delivery	
# cesarean delivery	
Sacroccygeal teratoma	
# diagnosed	
# treated with open fetal surgery	
# treated with focal thermal or laser vessel ablation	
Non-immune hydrops	
# diagnosed	
# treated with maternal medications	
# Other therapies (specify)	
Red cell alloimmunization (Coombs positive)	
# diagnosed	
# patients treated with IUT's	
total number of IUT's performed	
Platelet alloimmunization	

# diagnosed	
# treated with maternal IVIG therapy	
# treated with platelet transfusions	
total number of platelet transfusions	
Multiple gestation	
Twin-twin transfusion	
# diagnosed	
# treated with only w/amnioreduction	
# treated with only septostomy	
# treated with only laser	
# treated with bipolar coagulation	
# treated with RFA	
# treated with cord ligation	
Discordant anomalies	
# diagnosed	
# treated with cardiotoxic medications	
# treated with bipolar coagulation	
# treated with RFA	
# treated with cord ligation	
Discordant IUGR (placental insufficiency)	
# diagnosed	
# treated with bipolar coagulation	
# treated with RFA	
# treated with cord ligation	
TRAP sequence	
# diagnosed	
# treated with bipolar coagulation	
# treated with monopolar (unipolar) coagulation	
# treated with RFA	
# treated with interstitial laser	
Other	
# other treatment	
# additional EXIT for other DX	